

Vulture energy budget as a basis for ecological considerations

Daniel Weihs , Ofer Bahat & Asaf Kaplan

Department of Aerospace Engineering

Technion, Israel Inst. of Technology

Background


Sustaining populations of carrion eaters is problematic in the modern world.





Feeding stations are used so that knowledge of the energy requirements of Vultures is necessary

HYPOTHESIS

The heart-beat rate can be used as an indicator of energy expenditure

Heart rate measurements






Flight is highly demanding energetically.

Much of the time is spent gliding.


But flapping is the big energy budget item.






**Behavior versus heart rate
of Griffon Vulture "Robi"
(non stressful conditions, average \pm SD)**



**Behavior versus heart rate
of Griffon Vulture "Asterix"
(non stressful conditions, average \pm SD)**



Measuring the Physical Conditions of Vulture flight



Does adding equipment change flight performance?



**Technion Wind Tunnel Measurements of
the Drag Increment due to the Datalogger**



מקדם הגרר כפונקציה של זווית הגוף, מהירות רוח 23 מ/ש

עם רתמה

ללא רתמה



Vulture Test Range



Conclusions

Heart rate can be correlated CAREFULLY
with behavioral pattern.

Heart rate can be used as a
measure of energy requirements

Vultures can add up to 15% of their body
weight without affecting flight performance

This study was partially supported by GIF