List of publication
(last 3 Years)

Solid-state electron transport via cytochrome c depends on electronic coupling to electrodes and across the protein.
Amdursky N, Ferber D, Bortolotti CA, Dolgikh DA, Chertkova RV, **Pecht I**, Sheves M, Cahen D.
Proc Natl Acad Sci U S A. 2014 Apr 15;111(15):5556-61. doi: 10.1073/pnas.1319351111. Epub 2014 Mar 31.

Multicopper oxidases: intramolecular electron transfer and O_2 reduction.
Wherland S, Farver O, **Pecht I**.
J Biol Inorg Chem. 2014 Jan 16. [Epub ahead of print]

Redox activity distinguishes solid-state electron transport from solution-based electron transfer in a natural and artificial protein: cytochrome C and hemin-doped human serum albumin.
Amdursky N, Ferber D, **Pecht I**, Sheves M, Cahen D.
Phys Chem Chem Phys. 2013 Oct 28;15(40):17142-9. doi: 10.1039/c3cp52885e.

Designed azurins show lower reorganization free energies for intraprotein electron transfer.
Farver O, Marshall NM, Wherland S, Lu Y, **Pecht I**.
Proc Natl Acad Sci U S A. 2013 Jun 25;110(26):10536-40. doi: 10.1073/pnas.1215081110. Epub 2013 Jun 12.

Electron transport via cytochrome c on Si-H surfaces: roles of Fe and heme.
Amdursky N, **Pecht I**, Sheves M, Cahen D.
J Am Chem Soc. 2013 Apr 24;135(16):6300-6. doi: 10.1021/ja4015474. Epub 2013 Apr 11.

]
Marked changes in electron transport through the blue copper protein azurin in the solid state upon deuteration.
Amdursky N, **Pecht I**, Sheves M, Cahen D.
Proc Natl Acad Sci U S A. 2013 Jan 8;110(2):507-12. doi: 10.1073/pnas.1210457110. Epub 2012 Dec 24.

Temperature and force dependence of nanoscale electron transport via the Cu protein azurin.
Li W, Sepunaru L, Amdursky N, Cohen SR, **Pecht I**, Sheves M, Cahen D.
ACS Nano. 2012 Dec 21;6(12):10816-24. doi: 10.1021/nn3041705. Epub 2012 Nov 14.

Doping human serum albumin with retinoate markedly enhances electron transport across the protein.
Amdursky N, **Pecht I**, Sheves M, Cahen D.
J Am Chem Soc. 2012 Nov 7;134(44):18221-4. doi: 10.1021/ja308953q. Epub 2012 Oct 26.

Solvent accessibility in the distal heme pocket of the nitrosyl d(1)-heme complex of Pseudomonas stutzeri cd(1) nitrite reductase.
Radoul M, Barak Y, Rinaldo S, Cutruzzolà F, **Pecht I**, Goldfarb D.

Biochemistry. 2012 Nov 13;51(45):9192-201. doi: 10.1021/bi3011237. Epub 2012 Nov 2.
Temperature-dependent solid-state electron transport through bacteriorhodopsin: experimental evidence for multiple transport paths through proteins.
Sepunaru L, Friedman N, **Pecht I**, Sheves M, Cahen D.
J Am Chem Soc. 2012 Mar 7;134(9):4169-76. doi: 10.1021/ja2097139. Epub 2012 Feb 27.

Intramolecular electron transfer in laccases.
Farver O, Wherland S, Koroleva O, Loginov DS, **Pecht I**.
FEBS J. 2011 Sep;278(18):3463-71. doi: 10.1111/j.1742-4658.2011.08268.x. Epub 2011 Aug 31.

Electron transfer reactivity of type zero Pseudomonas aeruginosa azurin.
Lancaster KM, Farver O, Wherland S, Crane EJ 3rd, Richards JH, **Pecht I**, Gray HB.
J Am Chem Soc. 2011 Apr 6;133(13):4865-73. doi: 10.1021/ja1093919. Epub 2011 Mar 15.

Solid-state electron transport across azurin: from a temperature-independent to a temperature-activated mechanism.
Sepunaru L, **Pecht I**, Sheves M, Cahen D.
J Am Chem Soc. 2011 Mar 2;133(8):2421-3. doi: 10.1021/ja109989f. Epub 2011 Feb 4.

Signalling by immunoreceptors.
Pecht I.
FEBS Lett. 2010 Dec 15;584(24):4813. doi: 10.1016/j.febslet.2010.11.012. Epub 2010 Nov 11. No abstract available.

Pulse Radiolysis Studies of Temperature Dependent Electron Transfers among Redox Centers in ba(3)-Cytochrome c Oxidase from Thermus thermophilus: Comparison of A- and B-Type Enzymes.
Farver O, Wherland S, Antholine WE, Gemmen GJ, Chen Y, **Pecht I**, Fee JA.
Biochemistry. 2010 Nov 8. [Epub ahead of print]

Proteins as solid-state electronic conductors.
Ron I, **Pecht I**, Sheves M, Cahen D.
Acc Chem Res. 2010 Jul 20;43(7):945-53. doi: 10.1021/ar900161u.

Proteins as electronic materials: electron transport through solid-state protein monolayer junctions.
Ron I, Sepunaru L, Itzhakov S, Belenkova T, Friedman N, **Pecht I**, Sheves M, Cahen D.
J Am Chem Soc. 2010 Mar 31;132(12):4131-40. doi: 10.1021/ja907328r.

Resolving ligand hyperfine couplings of type 1 and 2 Cu(II) in ascorbate oxidase by high field pulse EPR correlation spectroscopy.
Potapov A, **Pecht I**, Goldfarb D.
Phys Chem Chem Phys. 2010 Jan 7;12(1):62-5. doi: 10.1039/b919069d. Epub 2009 Nov 7.