# SIGMA-ALDRICH

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 Version 5.6 Revision Date 09.04.2015 Print Date 19.04.2017 GENERIC EU MSDS - NO COUNTRY SPECIFIC DATA - NO OEL DATA

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1	Product identifiers Product name	:	Carbon tetrachloride
	Product Number Brand Index-No. REACH No. CAS-No.	:	319961 Sigma-Aldrich 602-008-00-5 A registration number is not available for this substance as the substance or its uses are exempted from registration, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline. 56-23-5
1.2	Relevant identified uses o	f th	e substance or mixture and uses advised against
	Identified uses	:	Laboratory chemicals, Manufacture of substances
1.3	Details of the supplier of t	he	safety data sheet
	Company	:	Sigma-Aldrich Israel Ltd. 3 PARK RABIN, PLAUT 7670603 REHOVOT ISRAEL
	Telephone Fax	:	+972 8948-4222 +972 8948-4200
1.4	Emergency telephone number		
	Emergency Phone #	:	+972 (8) 948-4222
SECT	ION 2: Hazards identification	on	
2.1	Classification of the subs	and	e or mixture
	Classification according to Regulation (EC) No 1272/2008 Acute toxicity, Oral (Category 3), H301		

Acute toxicity, Oral (Category 3), H301 Acute toxicity, Inhalation (Category 3), H331 Acute toxicity, Dermal (Category 3), H311 Skin sensitisation (Sub-category 1B), H317 Carcinogenicity (Category 2), H351 Specific target organ toxicity - repeated exposure (Category 1), H372 Chronic aquatic toxicity (Category 3), H412 Hazardous to the ozone layer (Category 1), H420

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### Classification according to EU Directives 67/548/EEC or 1999/45/EC

		R40
Т	Toxic	R23/24/25, R48/23
Ν	Dangerous for the environment	R59
		R52/53
Xi	Irritant	R43

For the full text of the R-phrases mentioned in this Section, see Section 16.

#### 2.2 Label elements

# Labelling according Regulation (EC) No 1272/2008

Pictogram	
Signal word	Danger
Hazard statement(s) H301 + H311 + H331 H317 H351 H372 H412 H420	Toxic if swallowed, in contact with skin or if inhaled May cause an allergic skin reaction. Suspected of causing cancer. Causes damage to organs through prolonged or repeated exposure. Harmful to aquatic life with long lasting effects. Harms public health and the environment by destroying ozone in the upper atmosphere.
Precautionary statement(s) P261 P273 P280 P301 + P310 + P330 P403 + P233 P502	Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray. Avoid release to the environment. Wear protective gloves/ protective clothing/ eye protection/ face protection. IF SWALLOWED: Immediately call a POISON CENTER or doctor/ physician. Rinse mouth. Store in a well-ventilated place. Keep container tightly closed. Refer to manufacturer/ supplier for information on recovery/ recycling.
Supplemental Hazard Statements	none

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher. Rapidly absorbed through skin.

#### **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Synonyms	: Tetrachloromethane
Formula	: CCI <sub>4</sub> CCI <sub>4</sub>
Molecular weight	: 153,82 g/mol
CAS-No.	: 56-23-5
EC-No.	: 200-262-8
Index-No.	: 602-008-00-5

#### Hazardous ingredients according to Regulation (EC) No 1272/2008

Component		Classification	Concentration
Tetrachloromethane			
CAS-No. EC-No. Index-No.	56-23-5 200-262-8 602-008-00-5	Acute Tox. 3; Skin Sens. 1B; Carc. 2; STOT RE 1; Aquatic Chronic 3; Ozone 1; H301 + H311 + H331, H317, H351, H372, H412, H420	<= 100 %

#### Hazardous ingredients according to Directive 1999/45/EC

Component		Classification	Concentration
Tetrachloromethane			
CAS-No.	56-23-5	T, N, Carc.Cat.3, R23/24	/25 - <= 100 %
EC-No.	200-262-8	R40 - R43 - R48/23 - R5	9 -
Index-No.	602-008-00-5	R52/53	

For the full text of the H-Statements and R-Phrases mentioned in this Section, see Section 16

#### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

#### General advice

Consult a physician. Show this safety data sheet to the doctor in attendance.

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

#### In case of skin contact

Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

#### In case of eye contact

Flush eyes with water as a precaution.

#### If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

- **4.2** Most important symptoms and effects, both acute and delayed The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11
- **4.3 Indication of any immediate medical attention and special treatment needed** No data available

#### SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

Suitable extinguishing media Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

- 5.2 Special hazards arising from the substance or mixture Carbon oxides, Hydrogen chloride gas
- **5.3** Advice for firefighters Wear self-contained breathing apparatus for firefighting if necessary.
- 5.4 Further information No data available

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures Wear respiratory protection. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. For personal protection see section 8.

#### 6.2 Environmental precautions Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

- 6.3 Methods and materials for containment and cleaning up Soak up with inert absorbent material and dispose of as hazardous waste. Keep in suitable, closed containers for disposal.
- 6.4 Reference to other sections For disposal see section 13.

#### SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.

For precautions see section 2.2.

#### 7.2 Conditions for safe storage, including any incompatibilities

Store in cool place. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

# Storage class (TRGS 510): Non-combustible, acute toxic Cat. 1 and 2 / very toxic hazardous materials

#### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

#### Components with workplace control parameters

#### 8.2 Exposure controls

#### Appropriate engineering controls

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

#### Personal protective equipment

#### Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

#### **Skin protection**

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Full contact Material: Fluorinated rubber Minimum layer thickness: 0,7 mm Break through time: 480 min Material tested:Vitoject® (KCL 890 / Aldrich Z677698, Size M)

Splash contact Material: Nitrile rubber Minimum layer thickness: 0,4 mm Break through time: 240 min Material tested:Camatril® (KCL 730 / Aldrich Z677442, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

#### **Body Protection**

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

#### **Respiratory protection**

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

**Control of environmental exposure** Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

#### **SECTION 9: Physical and chemical properties**

9.1	Information on basic physical and chemical properties		
	a)	Appearance	Form: liquid Colour: colourless
	b)	Odour	sweet
	c)	Odour Threshold	No data available
	d)	рН	No data available
	e)	Melting point/freezing point	Melting point/range: -23 °C - lit.
	f)	Initial boiling point and boiling range	76 - 77 °C - lit.
	g)	Flash point	does not flash
	h)	Evaporation rate	No data available
	i)	Flammability (solid, gas)	No data available
	j)	Upper/lower flammability or explosive limits	No data available
	k)	Vapour pressure	45 hPa at 0,3 °C 120 hPa at 19,8 °C 14.549 hPa at 24 °C
	I)	Vapour density	No data available
	m)	Relative density	1,594 g/cm3 at 25 °C
	n)	Water solubility	0,8461 g/l at 20 °C
	o)	Partition coefficient: n- octanol/water	log Pow: 2,83 at 25 °C
	p)	Auto-ignition temperature	No data available
	q)	Decomposition temperature	No data available
	r)	Viscosity	No data available
	s)	Explosive properties	No data available
	t)	Oxidizing properties	No data available
9.2	Oth	ner safety information	
		Surface tension	26,7 mN/m at 20 °C 19,5 mN/m at 80 °C

### **SECTION 10: Stability and reactivity**

# 10.1 Reactivity

No data available

#### 10.2 Chemical stability Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions No data available

Sigma-Aldrich - 319961

- **10.4 Conditions to avoid** No data available
- **10.5** Incompatible materials Strong oxidizing agents
- **10.6 Hazardous decomposition products** Other decomposition products - No data available In the event of fire: see section 5

#### **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

#### Acute toxicity

LD50 Oral - Rat - 2.350 mg/kg

LC50 Inhalation - Rat - 4 h - 8000 ppm

LD50 Dermal - Rabbit - > 20.000 mg/kg

## Skin corrosion/irritation

Skin - Rabbit Result: Mild skin irritation - 24 h (Draize Test)

#### Serious eye damage/eye irritation

Eyes - Rabbit Result: Mild eye irritation - 24 h (Draize Test)

#### Respiratory or skin sensitisation

- Mouse Result: The product is a skin sensitiser, sub-category 1B. (OECD Test Guideline 429)

Germ cell mutagenicity

No data available

#### Carcinogenicity

This product is or contains a component that has been reported to be probably carcinogenic based on its IARC, OSHA, ACGIH, NTP, or EPA classification. Limited evidence of carcinogenicity in animal studies

IARC: 2B - Group 2B: Possibly carcinogenic to humans (Tetrachloromethane)

#### **Reproductive toxicity**

No data available

Specific target organ toxicity - single exposure No data available

Specific target organ toxicity - repeated exposure Inhalation - Causes damage to organs through prolonged or repeated exposure. - Liver, Kidney

## Aspiration hazard

No data available

#### Additional Information

RTECS: FG4900000

Vomiting, Diarrhoea, Abdominal pain, Nausea, Dizziness, Headache, Damage to the eyes., Liver injury may occur., Kidney injury may occur., Exposure to and/or consumption of alcohol may increase toxic effects., Contact with skin can cause:, Pain, Erythema, hyperemia

## **SECTION 12: Ecological information**

SLUI	FION 12: Ecological infor	ination	
12.1	Toxicity		
	Toxicity to fish	mortality LC50 - Danio rerio (zebra fish) -	24,3 mg/l - 96 h
	Toxicity to daphnia and other aquatic invertebrates	Immobilization EC50 - Daphnia magna (V (OECD Test Guideline 202)	Vater flea) - 35 mg/l - 48 h
	Toxicity to algae	Growth inhibition EC50 - Algae - 20 mg/l (OECD Test Guideline 201)	- 72 h
12.2	<b>Persistence and degra</b> No data available	dability	
12.3	<b>Bioaccumulative poten</b> Bioaccumulation	tial Lepomis macrochirus (Bluegill) - 21 d - 52,3 μg/l	
		Bioconcentration factor (BCF): 30	
12.4	<b>Mobility in soil</b> No data available		
12.5	<b>Results of PBT and vPvB assessment</b> This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.		
12.6	Other adverse effects Harmful to aquatic life with long lasting effects.		
SECT	FION 13: Disposal consid	lerations	
13.1	Waste treatment metho	ods	
	<b>Product</b> Offer surplus and non-recyclable solutions to a licensed disposal company.		
	ener eurplae ana nen re		inpuny.
	Contaminated packagin Dispose of as unused pro		inpany.
SECT	Contaminated packagin	oduct.	
SEC1	<b>Contaminated packagin</b> Dispose of as unused pro	oduct.	IATA: 1846
	Contaminated packagin Dispose of as unused pro- FION 14: Transport inform UN number ADR/RID: 1846 UN proper shipping nate ADR/RID: CARBON TE	nation IMDG: 1846 me ETRACHLORIDE ETRACHLORIDE	
14.1	Contaminated packagin Dispose of as unused pro- FION 14: Transport inform UN number ADR/RID: 1846 UN proper shipping nan ADR/RID: CARBON TE IMDG: CARBON TE	mation IMDG: 1846 me ETRACHLORIDE ETRACHLORIDE chloride	
14.1 14.2	Contaminated packagin Dispose of as unused pro- FION 14: Transport inform UN number ADR/RID: 1846 UN proper shipping nat ADR/RID: CARBON TE IMDG: CARBON TE IATA: Carbon tetra Transport hazard class ADR/RID: 6.1	iMDG: 1846 me ETRACHLORIDE ETRACHLORIDE chloride (es)	IATA: 1846
14.1 14.2 14.3	Contaminated packagin Dispose of as unused pro- FION 14: Transport inform UN number ADR/RID: 1846 UN proper shipping nat ADR/RID: CARBON TE IMDG: CARBON TE IMDG: CARBON TE IATA: Carbon tetra Transport hazard class ADR/RID: 6.1 Packaging group	mation IMDG: 1846 me ETRACHLORIDE ETRACHLORIDE chloride (es) IMDG: 6.1 IMDG: II	IATA: 1846 IATA: 6.1

#### **SECTION 15: Regulatory information**

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Tetrachloromethane CAS-No.: 56-23-5 Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals Exempted (Categories of) Uses: industrial chemical for public use

Tetrachloromethane CAS-No.: 56-23-5 Regulation (EC) No 1005/2009 on substances that deplete the ozone layer Ozone depletion potential; ODP; (R-11 = 1): 1,1

#### 15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out

#### **SECTION 16: Other information**

#### Full text of H-Statements referred to under sections 2 and 3.

Acute Tox.	Acute toxicity
Aquatic Chronic	Chronic aquatic toxicity
Carc.	Carcinogenicity
H301	Toxic if swallowed.
H301 + H311 +	Toxic if swallowed, in contact with skin or if inhaled
H331	
H311	Toxic in contact with skin.
H317	May cause an allergic skin reaction.
H331	Toxic if inhaled.
H351	Suspected of causing cancer.
H372	Causes damage to organs through prolonged or repeated exposure.

#### Full text of R-phrases referred to under sections 2 and 3

N T	Dangerous for the environment Toxic
R23/24/25	Toxic by inhalation, in contact with skin and if swallowed.
R40	Limited evidence of a carcinogenic effect.
R43	May cause sensitisation by skin contact.
R48/23	Toxic: danger of serious damage to health by prolonged exposure through inhalation.
R52/53	Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
R59	Dangerous for the ozone layer.

#### **Further information**

Copyright 2015 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.