# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Version 5.1 Revision Date 27.05.2015

Print Date 25.04.2017

GENERIC EU MSDS - NO COUNTRY SPECIFIC DATA - NO OEL DATA

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name : Lead

Product Number : 391352 Brand : Aldrich

REACH No. : A registration number is not available for this substance as the substance

or its uses are exempted from registration, the annual tonnage does not

require a registration or the registration is envisaged for a later

registration deadline.

CAS-No. : 7439-92-1

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances

1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich Israel Ltd.

3 PARK RABIN, PLAUT 7670603 REHOVOT

**ISRAEL** 

Telephone : +972 8948-4222 Fax : +972 8948-4200

1.4 Emergency telephone number

Emergency Phone # +972 (8) 948-4222

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

## Classification according to Regulation (EC) No 1272/2008

Acute toxicity, Oral (Category 4), H302

Acute toxicity, Inhalation (Category 4), H332

Carcinogenicity (Category 2), H351

Reproductive toxicity (Category 1A), H360Df

Specific target organ toxicity - repeated exposure (Category 2), H373

Acute aquatic toxicity (Category 1), H400 Chronic aquatic toxicity (Category 1), H410

For the full text of the H-Statements mentioned in this Section, see Section 16.

## Classification according to EU Directives 67/548/EEC or 1999/45/EC

R61

R62

Xn Harmful R20/22

**R33** 

N Dangerous for the R50/53

environment

For the full text of the R-phrases mentioned in this Section, see Section 16.

Aldrich - 391352 Page 1 of 9

#### 2.2 Label elements

## Labelling according Regulation (EC) No 1272/2008

Pictogram



Signal word Danger

Hazard statement(s)

H302 + H332 Harmful if swallowed or if inhaled H351 Suspected of causing cancer.

H360Df May damage the unborn child. Suspected of damaging fertility.

H373 May cause damage to organs through prolonged or repeated exposure.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statement(s)

P201 Obtain special instructions before use.

P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.

P273 Avoid release to the environment.

P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for

breathing. Call a POISON CENTER or doctor/ physician if you feel

unwell.

P308 + P313 IF exposed or concerned: Get medical advice/ attention.

P391 Collect spillage.

Supplemental Hazard

Statements

none

Restricted to professional users.

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

# **SECTION 3: Composition/information on ingredients**

### 3.1 Substances

Formula : Pb

Molecular weight : 207,20 g/mol CAS-No. : 7439-92-1 EC-No. : 231-100-4

Hazardous ingredients according to Regulation (EC) No 1272/2008

Component		Classification	Concentration
Lead			
CAS-No. EC-No.	7439-92-1 231-100-4	Acute Tox. 4; Carc. 2; R 1A; STOT RE 2; Aquatic 1; Aquatic Chronic 1; H3 H332, H351, H360Df, H3 H410	Acute 02 +

Hazardous ingredients according to Directive 1999/45/EC

Component		Classification	Concentration
Lead			
CAS-No.	7439-92-1	T, N, Repr.Cat.1, Repr.Cat.3,	<= 100 %
EC-No.	231-100-4	R61 - R20/22 - R33 - R62 -	
		R50/53	

For the full text of the H-Statements and R-Phrases mentioned in this Section, see Section 16

Aldrich - 391352 Page 2 of 9

### **SECTION 4: First aid measures**

### 4.1 Description of first aid measures

#### General advice

Consult a physician. Show this safety data sheet to the doctor in attendance.

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

#### In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

## In case of eye contact

Flush eyes with water as a precaution.

#### If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

## 4.3 Indication of any immediate medical attention and special treatment needed

No data available

# **SECTION 5: Firefighting measures**

## 5.1 Extinguishing media

## Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

## 5.2 Special hazards arising from the substance or mixture

Lead oxides

### 5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

### 5.4 Further information

No data available

### SECTION 6: Accidental release measures

# 6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust. For personal protection see section 8.

### 6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

## 6.3 Methods and materials for containment and cleaning up

Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

### 6.4 Reference to other sections

For disposal see section 13.

## **SECTION 7: Handling and storage**

## 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols.

Provide appropriate exhaust ventilation at places where dust is formed.

For precautions see section 2.2.

Aldrich - 391352 Page 3 of 9

### 7.2 Conditions for safe storage, including any incompatibilities

Store in cool place. Keep container tightly closed in a dry and well-ventilated place. Storage class (TRGS 510): Non-combustible, acute toxic Cat.3 / toxic hazardous materials or hazardous materials causing chronic effects

### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

## **SECTION 8: Exposure controls/personal protection**

## 8.1 Control parameters

Components with workplace control parameters

# 8.2 Exposure controls

# **Appropriate engineering controls**

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

# Personal protective equipment

# Eye/face protection

Safety glasses with side-shields conforming to EN166 Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

### Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0,11 mm

Break through time: 480 min

Material tested: Dermatril® (KCL 740 / Aldrich Z677272, Size M)

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0,11 mm Break through time: 480 min

Material tested: Dermatril® (KCL 740 / Aldrich Z677272, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de,

test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

# **Body Protection**

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

## Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Aldrich - 391352 Page 4 of 9

# Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

# **SECTION 9: Physical and chemical properties**

# 9.1 Information on basic physical and chemical properties

a) Appearance Form: powder
b) Odour No data available
c) Odour Threshold No data available
d) pH No data available

e) Melting point/freezing

point

j)

Melting point/range: 327,4 °C - lit.

f) Initial boiling point and

boiling range

1.740 °C - lit.

g) Flash point Not applicableh) Evaporation rate No data availablei) Flammability (solid, gas) No data available

Upper/lower flammability or explosive limits

No data available

k) Vapour pressure No data availablel) Vapour density No data availablem) Relative density No data available

n) Water solubility No data available

o) Partition coefficient: noctanol/water No data available

p) Auto-ignition temperature

No data available

q) Decomposition temperature

No data available

r) Viscosity No data available
 s) Explosive properties No data available
 t) Oxidizing properties No data available

## 9.2 Other safety information

No data available

# **SECTION 10: Stability and reactivity**

## 10.1 Reactivity

No data available

# 10.2 Chemical stability

Stable under recommended storage conditions.

## 10.3 Possibility of hazardous reactions

No data available

#### 10.4 Conditions to avoid

No data available

Aldrich - 391352 Page 5 of 9

## 10.5 Incompatible materials

Strong acids

## 10.6 Hazardous decomposition products

Other decomposition products - No data available

In the event of fire: see section 5

# **SECTION 11: Toxicological information**

## 11.1 Information on toxicological effects

# **Acute toxicity**

No data available

### Skin corrosion/irritation

No data available

### Serious eye damage/eye irritation

No data available

### Respiratory or skin sensitisation

No data available

### Germ cell mutagenicity

Rat

Cytogenetic analysis

## Carcinogenicity

Limited evidence of carcinogenicity in animal studies

IARC: 2B - Group 2B: Possibly carcinogenic to humans (Lead)

# Reproductive toxicity

Suspected human reproductive toxicant

Reproductive toxicity - Rat - Inhalation

Effects on Newborn: Biochemical and metabolic.

Reproductive toxicity - Rat - Oral Effects on Newborn: Behavioral.

Reproductive toxicity - Mouse - Oral

Effects on Fertility: Female fertility index (e.g., # females pregnant per # sperm positive females; # females pregnant per # females mated). Effects on Fertility: Pre-implantation mortality (e.g., reduction in number of implants per female; total number of implants per corpora lutea).

Developmental Toxicity - Rat - Inhalation

Effects on Embryo or Fetus: Fetotoxicity (except death, e.g., stunted fetus). Specific Developmental Abnormalities: Blood and lymphatic system (including spleen and marrow).

Developmental Toxicity - Rat - Oral

Specific Developmental Abnormalities: Blood and lymphatic system (including spleen and marrow). Effects on Newborn: Growth statistics (e.g., reduced weight gain).

Developmental Toxicity - Rat - Oral

Effects on Embryo or Fetus: Fetotoxicity (except death, e.g., stunted fetus). Effects on Embryo or Fetus: Fetal death.

Developmental Toxicity - Mouse - Oral

Effects on Embryo or Fetus: Fetotoxicity (except death, e.g., stunted fetus). Effects on Embryo or Fetus: Fetal death.

## Specific target organ toxicity - single exposure

No data available

### Specific target organ toxicity - repeated exposure

May cause damage to organs through prolonged or repeated exposure.

Aldrich - 391352 Page 6 of 9

## **Aspiration hazard**

No data available

## **Additional Information**

RTECS: OF7525000

anemia

### **SECTION 12: Ecological information**

## 12.1 Toxicity

Toxicity to fish mortality LOEC - Oncorhynchus mykiss (rainbow trout) - 1,19 mg/l - 96,0 h

LC50 - Micropterus dolomieui - 2,2 mg/l - 96,0 h

mortality NOEC - Salvelinus fontinalis - 1,7 mg/l - 10,0 d

Toxicity to daphnia and

mortality LOEC - Daphnia (water flea) - 0,17 mg/l - 24 h

other aquatic invertebrates

mortality NOEC - Daphnia (water flea) - 0,099 mg/l - 24 h

Toxicity to algae mortality EC50 - Skeletonema costatum - 7,94 mg/l - 10 d

### 12.2 Persistence and degradability

No data available

### 12.3 Bioaccumulative potential

Bioaccumulation Oncorhynchus kisutch - 2 Weeks

- 150 µg/l

Bioconcentration factor (BCF): 12

### 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### 12.6 Other adverse effects

Very toxic to aquatic life with long lasting effects.

# **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

#### Product

Offer surplus and non-recyclable solutions to a licensed disposal company. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

### Contaminated packaging

Dispose of as unused product.

## **SECTION 14: Transport information**

### 14.1 UN number

ADR/RID: 3077 IMDG: 3077 IATA: 3077

# 14.2 UN proper shipping name

ADR/RID: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Lead) IMDG: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Lead)

IATA: Environmentally hazardous substance, solid, n.o.s. (Lead)

## 14.3 Transport hazard class(es)

ADR/RID: 9 IMDG: 9 IATA: 9

Aldrich - 391352 Page 7 of 9

14.4 Packaging group

ADR/RID: III IMDG: III IATA: III

14.5 Environmental hazards

ADR/RID: yes IMDG Marine pollutant: yes IATA: yes

## 14.6 Special precautions for user

#### **Further information**

EHS-Mark required (ADR 2.2.9.1.10, IMDG code 2.10.3) for single packagings and combination packagings containing inner packagings with Dangerous Goods > 5L for liquids or > 5kg for solids.

## **SECTION 15: Regulatory information**

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Lead CAS-No.: 7439-92-1

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles (Annex XVII)

Shall not be placed on the market or used in any individual part of jewellery articles if the concentration of lead (expressed as metal) in such a part is equal to or greater than 0.05 % by weight

See Commission Regulation (EU) No 836/2012 for Conditions of restriction

Lead CAS-No.: 7439-92-1

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous

substances, preparations and articles (Annex XVII)

Toxic to reproduction: category 1A Restricted to professional users.

See Annex XVII to Regulation (EC) no 1907/2006 for Conditions of restriction

#### 15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out

#### **SECTION 16: Other information**

### Full text of H-Statements referred to under sections 2 and 3.

Acute Tox. Acute toxicity

Aquatic Acute Acute aquatic toxicity
Aquatic Chronic Chronic aquatic toxicity

Carc. Carcinogenicity
H302 Harmful if swallowed.

H302 + H332 Harmful if swallowed or if inhaled

H332 Harmful if inhaled.

H351 Suspected of causing cancer.

H360Df May damage the unborn child. Suspected of damaging fertility.

H373 May cause damage to organs through prolonged or repeated exposure.

### Full text of R-phrases referred to under sections 2 and 3

N Dangerous for the environment

T Toxic

R20/22 Harmful by inhalation and if swallowed.

R33 Danger of cumulative effects.

R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic

environment.

R61 May cause harm to the unborn child.
R62 Possible risk of impaired fertility.
Repr.Cat.1 Toxic to Reproduction Category 1
Repr.Cat.3 Toxic to Reproduction Category 3

Aldrich - 391352 Page 8 of 9

### **Further information**

Copyright 2015 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Aldrich - 391352 Page 9 of 9